

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/09/2020 Revision date: 09/26/2024 Version: 2.1

SECTION 1: Identification

1.1. Identification

Product form : Article

Product name : Remington Magnum Rimfire Ammunition

Synonyms : 17 HMR and 22 WMR Premier® Magnum Rimfire and 22 WMR Magnum Rimfire

1.2. Recommended use and restrictions on use

Recommended use : Ammunition

Restrictions on use : Uses other than listed on the manufacturer product label

1.3. Supplier

Ammunition Operations, LLC d/b/a Remington Ammunition

2592 AR Hwy 15N Lonoke, AR 72086 T 1-800-635-7656

dangerous.goods@tkghunt.com

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300 (Inside US), 01-703-527-3887 (Outside the US) Day or night

(Transportation Incidents Only)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Explosive Category 1.4 H204 Fire or projection hazard Carcinogenicity Category H350 May cause cancer

1B

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H204 - Fire or projection hazard

H350 - May cause cancer

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 - Ground/Bond container and receiving equipment.

P250 - Do not subject to grinding/shock/friction.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P370+P380 - In case of fire: Evacuate area.

P372 - Explosion risk in case of fire.

P373 - DO NOT fight fire when fire reaches explosives.

P374 - Fight fire with normal precautions from a reasonable distance. P401 - Store in accordance with local regulations on explosives.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification

: This product is considered an explosive article. Each product covered by this Safety Data Sheet is sealed ammunition. The ammunition contains hazardous substances, which under normal conditions of use are not in contact with the user. If the item is fractured or intentionally disassembled prior to actuation, exposure to the contents of this ammunition may cause the following health effects. Toxic if swallowed or in contact with skin and harmful if inhaled. It may

09/26/2024 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

damage organs. May be harmful to aquatic life with long lasting effects.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Lead	(CAS-No.) 7439-92-1	25 – 60	Carc. 1B, H350 Repr. 1A, H360
Nitroglycerin	(CAS-No.) 55-63-0	1 – 7.5	Unst. Expl., H200 Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation: dust, mist), H330 STOT RE 2, H373 Aquatic Chronic 2, H411
Dibutyl phthalate	(CAS-No.) 84-74-2	0 – 2.5	Repr. 1B, H360 Aquatic Acute 1, H400
lead 2,4,6-trinitro-m-phenylene dioxide, lead 2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer)	(CAS-No.) 15245-44-0	0 – 1	Expl. 1.1, H201 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Repr. 1A, H360 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Barium nitrate	(CAS-No.) 10022-31-8	0 – 1	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Chronic symptoms : May cause cancer.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Not determined.

5.2. Specific hazards arising from the chemical

Explosion hazard : Explosion risk in case of fire.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate area. Do not fight fire when fire reaches explosives. Fight fire with normal precautions

from a reasonable distance.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

09/26/2024 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Only qualified personnel

equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the workstation. Wear personal protective equipment. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Do not subject to grinding, shock, friction. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Remington Magnum Rimfire Ammunition		
No additional information available		
Lead (7439-92-1)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	0.05 mg/m³	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA - ACGIH - Biological Exposure Indices		
Biological Exposure Indices (BEI)	200 μg/l Parameter: Lead - Medium: blood - Sampling time: not critical (Note: Persons applying this BEI are encouraged to counsel female workers of child-bearing age about the risk of delivering a child with a PbB (lead in blood level) over the current CDC reference value.)	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL (TWA) (mg/m³)	50 μg/m³	
Copper (7440-50-8)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	0.2 mg/m³ (fume)	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL (TWA) (mg/m³)	0.1 mg/m³ (fume) 1 mg/m³ (dust and mist)	

09/26/2024 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrocellulose (9004-70-0)	
No additional information available	
Nitroglycerin (55-63-0)	
USA - ACGIH - Occupational Exposure Limit	ts
ACGIH TWA (ppm)	0.05 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA - OSHA - Occupational Exposure Limits	S
OSHA PEL (Ceiling) (mg/m³)	2 mg/m³
OSHA PEL (Ceiling) (ppm)	0.2 ppm
Limit value category (OSHA)	prevent or reduce skin absorption
Zinc (7440-66-6)	
No additional information available	
Dibutyl phthalate (84-74-2)	
USA - ACGIH - Occupational Exposure Limit	ts
ACGIH TWA (mg/m³)	5 mg/m³
USA - OSHA - Occupational Exposure Limits	S
OSHA PEL (TWA) (mg/m³)	5 mg/m³
lead 2,4,6-trinitro-m-phenylene dioxide, lead	I 2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)
No additional information available	
Barium nitrate (10022-31-8)	
No additional information available	
Antimony sulfide (Sb2S3) (1345-04-6)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the workstation. Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Physical state

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear respiratory protection.

: Solid

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance : Solids.

Color : Metallic

Odor : odorless

Odor threshold : No data available
pH : No data available

Melting point : No data available

Freezing point : Not applicable
Boiling point : No data available

Flash point : Not applicable

09/26/2024 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butvl acetate=1) : No data available Flammability (solid, gas) : Nonflammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available : No data available Relative density Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** : Not applicable Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Fire or projection hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Nitroglycerin (55-63-0)		
LD50 oral rat	100 mg/kg	
LD50 dermal rabbit	> 280 mg/kg	
ATE US (oral)	5 mg/kg body weight	
ATE US (dermal)	5 mg/kg body weight	
ATE US (dust, mist)	0.05 mg/l/4h	
Dibutyl phthalate (84-74-2)		
LD50 oral rat	7499 mg/kg	
LD50 dermal rabbit	> 20000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 15.68 mg/l/4h	
ATE US (oral)	7499 mg/kg body weight	
lead 2,4,6-trinitro-m-phenylene dioxide, lead 2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)		
ATE US (oral)	500 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	

09/26/2024 EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday, Ma ————————————————————————————————————	arch 26, 2012 / Rules and Regulations	
lead 2,4,6-trinitro-m-phenylene dioxide, lead	2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)	
ATE US (dust, mist)	1.5 mg/l/4h	
Barium nitrate (10022-31-8)		
LD50 oral rat	355 mg/kg	
ATE US (oral)	355 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity		
Carcinogenicity	: May cause cancer.	
Lead (7439-92-1)		
IARC group	2A - Probably carcinogenic to humans	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen	Yes	
list		
lead 2.4.6-trinitro-m-phenylene dioxide lead	2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen	Yes	
list		
Reproductive toxicity	: Not classified.	
Reproductive toxicity	. Not dassilled.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified.	
Nitroglycerin (55-63-0)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
load 2.4.6 twinitus on whomylous disvide load	2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)	
STOT-repeated exposure		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Summana /affacta	. Not expected to present a cignificant beyond under anticipated conditions of normal use	
Symptoms/effects Chronic symptoms	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Chronic symptoms	: May cause cancer.	
SECTION 12: Ecological information		
2.1. Toxicity	The product is not considered harmful to equation argenisms and a second	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
Lead (7439-92-1)		
LC50 fish 1	0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
EC50 Daphnia 1	600 µg/l (Exposure time: 48 h - Species: water flea)	
LC50 fish 2	1.17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
Nitroglycerin (55-63-0)		
LC50 fish 1	0.87 – 3.25 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	46 – 55 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fight 2	0.87 – 2.21 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	38 – 55 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LOOU Daprillia Z	oo oo mga (Exposure time, 40 ii - opedies, Dapriilla magria [Otatie])	

09/26/2024 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dibutyl phthalate (84-74-2)	
LC50 fish 1	0.71 – 1.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	2.99 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	0.31 – 5.45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	3.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. **Bioaccumulative potential**

Dibutyl phthalate (84-74-2)	
Partition coefficient n-octanol/water (Log Pow)	5.38 (at 25 °C)

Mobility in soil

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN0012 Cartridges, small arms, 1.4s

UN-No.(DOT) : UN0012

Proper Shipping Name (DOT) : Cartridges, small arms

Class (DOT) : 1.4 - Class 1.4 - Explosives (with no significant blast hazard) 49 CFR 173.50

DOT Packaging Non-Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : 63 DOT Quantity Limitations Passenger aircraft/rail

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 100 kg

DOT Vessel Stowage Location

CFR 175.75)

: 01 - The material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12

passengers) and on a passenger vessel.

DOT Vessel Stowage Other : 25 - Protected from sources of heat Other information : No supplementary information available.

Transport by sea

Transport document description (IMDG) : UN 0012 CARTRIDGES, SMALL ARMS, 1.4S

UN-No. (IMDG) : 0012

Proper Shipping Name (IMDG) : CARTRIDGES, SMALL ARMS

Class (IMDG) : 1 - Explosives

Limited quantities (IMDG) : 5 kg

09/26/2024 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA) : UN 0012 Cartridges, small arms, 1.4S

UN-No. (IATA) : 0012

Proper Shipping Name (IATA) : Cartridges, small arms

Class (IATA) : 1 - Explosive

SECTION 15: Regulatory information

15.1. US Federal regulations

Remington Magnum Rimfire Ammunition	
SARA Section 311/312 Hazard Classes	Physical hazard - Explosive
	Health hazard - Carcinogenicity

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Lead		CAS-No. 7439-92-1	25 – 60%
Copper		CAS-No. 7440-50-8	25 – 50%
Nitroglycerin		CAS-No. 55-63-0	1 – 7.5%
Zinc		CAS-No. 7440-66-6	5 – 15%
Dibutyl phthalate		CAS-No. 84-74-2	0 – 2.5%
Lead (7439-92-1)			
CERCLA RQ	10 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m		
Nitroglycerin (55-63-0)			
CERCLA RQ	10 lb		
Dibutyl phthalate (84-74-2)			
Listed on EPA Hazardous Air Pollutant (HAPS)			
CERCLA RQ	10 lb		

15.2. International regulations

Lead (7439-92-1)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Nitroglycerin (55-63-0)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Dibutyl phthalate (84-74-2)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

lead 2,4,6-trinitro-m-phenylene dioxide, lead 2,4,6-trinitroresorcinoxide, lead styphnate (≥ 20 % phlegmatizer) (15245-44-0)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Barium nitrate (10022-31-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations



This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09/26/2024

09/26/2024 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases:

H200	Unstable explosive
H201	Explosive; mass explosion hazard
H204	Fire or projection hazard
H272	May intensify fire; oxidizer
H300	Fatal if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H350	May cause cancer
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

DISCLAIMER OF LIABILITY This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

09/26/2024 EN (English US) 9/9